




WWW.CHEMSHEETS.CO.UK

REACTIONS OF AROMATICS

NITRATION – Electrophilic substitution




conc HNO_3

conc H_2SO_4


50°C

Aromatic NITRO compounds - USES


TNT (trinitrotoluene)



Aromatic NITRO compounds - USES




Making primary amines
(used to make azo
dyes)
e.g. a yellow azo dye





NITRATION – Electrophilic substitution

electrophile = NO_2^+ (nitronium ion)





e.g. 1 methylbenzene + conc HNO₃ & conc H₂SO₄ at 50°C to make 2-nitromethylbenzene





**Electrophilic
substitution**

e.g. 2 methylbenzene + conc HNO_3 & conc H_2SO_4 at 50°C to make 4-nitromethylbenzene



**Electrophilic
substitution**

e.g. 3 1,3-dimethylbenzene + conc HNO_3 & conc H_2SO_4 at 50°C to make 2-nitro-1,3-dimethylbenzene





**Electrophilic
substitution**

FRIEDEL-CRAFTS ACYLATION – Electrophilic substitution



Acyl chloride /
acid anhydride





USES of Friedel-Crafts reactions

VERY useful in organic synthesis as it is a way of adding C atoms onto an aromatic ring.

FRIEDEL-CRAFTS ACYLATION

Electrophilic substitution




electrophile = RCO^+ (acylium ion)




FRIEDEL-CRAFTS ACYLATION




Electrophilic substitution


electrophile = RCO^+ (acylium ion)








Electrophilic substitution








Electrophilic substitution








Electrophilic substitution






Electrophilic substitution



FRIEDEL-CRAFTS ACYLATION

WARNING! - do not mix



**Friedel-Crafts acylation
(needs AlCl_3)**



**Swap H on benzene ring
for acyl group**

&

other acylations



**Swap H on O/N
for acyl group**